



## LINQS Ultralight EV1 Paper NFC Sticker

SKU: S\_Ultra\_21

- Printable 30 mm paper NFC sticker with NTAG210 chip
- 48 bytes user memory for light, trackable NFC actions
- High tap success rate with robust weak field tolerance
- Ideal for smart packaging, events, and disposable campaigns



Brand	LINQS
Form Factor	Sticker
Chip Type	NTAG210 NXP
Unit Weight (g)	0.06
Works on Metal	No
In Stock	Yes

### SPECIFICATIONS

Chip Specifications		Physical Properties	
Chip Brand	NXP	Form	Sticker
Input Capacitance	17pF / 50pF	Material	Paper
Total Memory	80 bytes	Size	25 mm
UID Size	7 bytes	Size Category	Standard
User Memory	48 bytes		
NFC Chip Datasheet	<a href="https://www.nxp.com/docs/en/data-sheet/NTAG210_212.pdf">https://www.nxp.com/docs/en/data-sheet/NTAG210_212.pdf</a>		



NFC Protocol	
NFC Chip Model	NTAG210
NFC Forum Type	Type 2
Operating Frequency	13.56 MHz
Standard	ISO/IEC 14443A (Parts 2/3)
Phone Compatibility	Android with NFC, iPhone 7 onwards

Performance	
Data Retention	10 years
Data Transfer Rate	106 kbit/s
Fast Read	No
Scan Strength	Low
Write Endurance	100000 cycles

Security Features	
32-bit Password	Yes
ECC Signature	Yes
Lockable	Yes

Advanced Features	
Counter ASCII Mirror	No
Scan Counter	No
UID ASCII Mirror	Yes

Fulfillment	
Custom Printing MOQ	250
Lead Time	1 Day
Release Year	2013

Chip Quality	
Tap Success Rate	High
Weak Field Tolerance	Excellent
Batch Consistency	Consistent
Supply Chain	Traceable
NDEF Compatibility	Predictable
Reader Compatibility	Broad
Config Stability	Stable
Lock Behavior	Reliable
Write Speed	Fast
Heat Tolerance	Robust
ESD Protection	High
Documentation	Extensive



**LINQS**

India's largest NFC store.  
Since 2014.

**PRODUCT DATA SHEET**

Generated: 2026-01-15

## RESOURCES

### Buy Online

<https://shop.linqs.in/product/nfc-ultralight-ev1-paper-sticker-30-mm-ntag210>

### Product Video

<https://youtube.com/shorts/fPBRemU8ifg?feature=share>

